



INSTRUCTIONS FOR THE

"SDICOOP - RICEZIONE" SERVICE

VERSION 3.0





INDEX

1. INVOICES	3
1.1 GLOSSARY	3
1.2 SDICOOP – RICEZIONE SERVICE	
1.3 THE RicezioneFatture WEB-SERVICE	
1.3.1 RiceviFatture Operation	7
1.3.2 NotificaDecorrenzaTermini (Deadline Passed Notice	
1.4 THE SdlRiceviNotifica WEB-SERVICE	
1.4.1 NotificaEsito (Outcome Notice) operation	
2. INVOICE DATE AND VAT SETTLÉMENT	
2.1 GLOSSARY	
2.2 SDIDATI SERVICE	14
2.3 SdlTrasmissioneFile WEB-SERVICE	
2.3.1 Trasmetti Operation	
2.3.2 Esito Operation	
2.3.3 Type of file	





1. INVOICES

1.1 GLOSSARY

In the paragraph 1, the following terms are used with the meanings given below:

- addressee: subject, whether buyer/orderer or third party intermediary to which the ES must send the invoice file received from the transmitter;
- **fatturaPA file**: file conforming to the specifications of the fatturaPA format published on the website www.fatturapa.gov.it;
- **fatturaB2B file**: file conforming to the specifications of the fattura B2B format published on the AE website, annex-A of provision of 30 april 2018 (FPR12 format);
- **fattura simplified file**: file conforming to the specifications of the fattura B2B format published on the AE website, annex-A of provision of 30 april 2018 (FSM10 format);
- metadata file: file containing certain main reference data of invoice file;
 the ES sends this file to addressee, along with invoice file;
- **message files**: files conforming to the indications of annex B-1 of the implementation specifications of the technical rules published on the website www.fatturapa.gov.it;
- archive file: compressed file (.zip) containing one or more invoice file;
- interface: what the web-service displays for interacting with the other system;
- deadline passed notification: valid only for fatturaPA file, it's the communication that the ES sends to both the transmitter and to the addressee if 15 days have passed without having received a client outcome notification:
- **client-outcome notification**: valid only for *fatturaPA file*, it's the communication that the *addressee* sends to the *ES* to explain the acceptance or refusal of each single invoice contained in the file received;
- **client-outcome rejection**: valid only for *fatturaPA file*, it's the message sent by the ES to the *addressee* to inform the latter of an inadmissible or non-conforming situation relative to the *customer outcome notification*;





- service: within the sphere of the service for Electronic Invoicing to the Public Administration, the term service refers to one of the channels provided by the ES for the interoperability of the systems in the management of the transmission and receipt of the invoice files and of the message files;
- **ES**: the Exchange System, i.e. the structure introduced by the Ministry of Economy and Finance by which electronic invoices are sent to the Public Administration (Art.1, section 211, of Italian law n° 244 of 24 December 2007);
- transmitter: subject, whether seller/provider or third party intermediary, which transmits the invoice file or the archive file to the ES;
- web-service: software system which can guarantee the interoperability between systems in the same network.

1.2 SDICOOP – RICEZIONE SERVICE

This document contains the instructions necessary to interact with the Exchange System through the *SDICoop* Service in the role of addressee.

The service allows the addressee, by means of a cooperation application channel, to:

- receive an invoice file from the ES:
- only for fatturaPA files, send the ES the client-outcome notifications relative to every invoice contained in the files received;
- only for fatturaPA files, receive a client-outcome rejection.


In particular, the *SDICoop - Ricezione* Service is composed of two different web-services:

- RicezioneFatture (Invoice receipt): available to the addressee, this service deals with receipt of the invoice files sent by the ES, considering different transmission layout (FPR12, FPA12, FSM10);
- **SdlRiceviNotifica** (ES receipt notification): available to the ES, this service provides for receiving the client-outcome notification and returning a possible client-outcome rejection.

The figure below illustrates the two web-services with the operations available in each interface.







SDICoop - Ricezione service

For each web-service, the *SOAP Request* and the *SOAP Response* relative to each operation are illustrated below with detail of the structure of the single messages.

Key of symbols used below

- Web-service
- Transaction
- Input
- Output
- Tag name
- Element name
- Element type
- Wersion





NB:

The wsdl and xsd files referred to hereafter can be found, together with a copy of this document, in the RichiestaAccreditamento.zip file produced by means of the specific registration procedure of the available channel on the site www.fatturapa.gov.it.

The undersigning of the Channel Registration Request implies full acceptance of the technical rules described herein.

1.3 THE RICEZIONEFATTURE WEB-SERVICE

The *RicezioneFatture* web-service is available to the addressee.

It involves two operations. With the first:


- it receives as input an invoice file and the relative metadata material, respecting invoice type (FPA12, FPR12, FSM10);
- as output, it returns an acceptance outcome.

With the second:

- it receives a possible deadline-passed notification, for only fatturaPA files.

Description of the interface

The interface which must be used for the *RicezioneFatture* web-service is described in the file **RicezioneFatture_v1.0.wsdl.**








1.3.1 RICEVIFATTURE OPERATION

The *RiceviFatture* operation deals with receiving the invoice file forwarded by the ES with the relative metadata file, considering different transmission layout (FPA12, FPR12, FSM10).

1.3.1.1 Request

The SOAP request has the following structure:



The input parameters are described below:

The input parameters are decembed selem	
Parameter	Description
IdentificativoSdI	Identification assigned by the ES to the file
NomeFile	Name of the file to be received
File	Attachment containing the invoice file, or the archive file, converted into base64Binary, conforming to the xsd format of the "Fattura1".
NomeFileMetadati	Name of the metadata file relative to the fatturaPA file to be received
Metadati	Attachment containing the metadata file, converted into base64Binary, conforming to the xsd format of the "metadata notification of the invoice file to the addressee ² "

¹ conforming to the indications in the implementation specifications of provision 30 april 2018 published on the site www.agenziaentrate.gov.it.

² conforming to the indications of annex B-1 of the implementation specifications of the technical rules published on the website www.fatturapa.gov.it (FPA) or of annex A of the implementation specifications of provision 30 april 2018 published on the site www.agenziaentrate.gov.it (FPR, FSM)






The types referred to are defined in the file RicezioneTypes_v1.0.xsd.

1.3.1.2 Response

The SOAP response has the following structure:



The output parameters are described below:

Parameter	Description
Outcome	The outcome of the receipt. This can have one of the following values:
	ER01 = accepted for processing

The types referred to are defined in the file RicezioneTypes_v1.0.xsd.





1.3.2 NOTIFICADECORRENZATERMINI (DEADLINE PASSED NOTICE) OPERATION

The *NotificaDecorrenzaTermini* operation allows the *addressee* to receive a message file containing a deadline-passed notification for every invoice document, present in the fatturaPA file received previously.

1.3.2.1 Request

The SOAP request has the following structure:



The input parameters are described below:

Parameter	Description
IdentificativoSdI	Identity assigned to the file by ES
NomeFile	The name of the deadline-passed notification file
File	Attachment containing the message file, converted into base64Binary, conforming to the xsd format of the "Deadline-passed notification3".

The types referred to are defined in the file **RicezioneTypes_v1.0.xsd**.

The operation NotificaDecorrenzaTermini does not involve a SOAP response.

³ conforming to the indications of annex B-1 of the implementation specifications of the technical rules published on the website www.fatturapa.gov.it;





1.4 THE SDIRICEVINOTIFICA WEB-SERVICE

The SdlRiceviNotifica web-service is available to the ES.

It:

- receives as input the client-outcome notification for every invoice contained in the file forwarded to the addressee;
- returns as output any client-outcome rejection.

Description of the interface

The interface which must be used for the *SdlRiceviNotifica* web-service is described in the file **SdlRiceviNotifica_v1.0.wsdl.**




1.4.1 NOTIFICAESITO (OUTCOME NOTICE) OPERATION

The SdlRiceviNotifica web-service has only one operation, NotificaEsito.

1.4.1.1 Request

The SOAP request has the following structure:



The input parameters are described below:





Parameter	Description
IdentificativoSdI	Identity assigned to the file by ES
NomeFile	The name of the client-outcome notification file
File	Attachment containing the message file, converted into base64Binary, conforming to the xsd format of the "Client outcome notification4".

The types referred to are defined in the file RicezioneTypes_v1.0.xsd.

1.4.1.2 Response

The SOAP response has the following structure:



The output parameters are described below:

Description

Outcome

The outcome of the notification. This can have one of the following values:

ES00 = notification not accepted

ES01 = notification accepted

ES02 = service not available

ScartoEsito

This is composed of two elements:

NomeFile: containing the name of the file in the following

⁴ conforming to the indications of annex B-1 of the implementation specifications of the technical rules published on the website www.fatturapa.gov.it;





element;
File: containing the message file converted into base64Binary, conforming to the xsd format of the "Client outcome rejection notice5". The attachment is present only in the Outcome has the value ES00

The types referred to are defined in the file RicezioneTypes_v1.0.xsd.

_

⁵ conforming to the indications of annex B-1 of the implementation specifications of the technical rules published on the website www.fatturapa.gov.it;





2. INVOICE DATE AND VAT SETTLEMENT

2.1 GLOSSARY

In the paragraph 2, the following terms are used with the meanings given below:

- file: xml file conforming to the specifications of the file format published on the website www.agenziaentrate.gov.it;
- message file: file conforming to the specifications of the format published on the website www.agenziaentrate.gov.it;
- archive file: compressed file containing one or more files;
- **interface**: what the *web-service* displays for interacting with the other system;
- outcome notification (rejection/acceptance): communication that the transmitter retrieves by calling the service that certifies the result of file checks;
- **ES**: the Exchange System, i.e. the structure introduced by the Ministry of Economy and Finance by which electronic invoices are sent to the Public Administration (Art.1, section 211, of Italian law n° 244 of 24 December 2007). Furthermore ES deals with management of transmissions channels;
- Receiving System: system for hosting and processing files;
- **Transmitter** *file*: subject, whether seller/provider or client or third party intermediary, wich transmits the *file* or *archive file* to *Receiving System*.






2.2 SDIDATI SERVICE

This section contains the instructions necessary to interact with the Receiving System by *SDIDati* Service in the role of Transmitter file.

The Service (realized through web service **SdlTrasmissioneFile**) allows the transmitter, by means of a cooperation application channel, to:

- send a file or archive file to Receiving System;
- recover from Receiving System the messages about transmitted files.

The figure below illustrates the web-services with the operations available.







For web-service, the SOAP Request relative to each operation is illustrated below with detail of the structure of the single messages.

Key of symbols used below

- Web-service
- Transaction
- Input
- Output
- Tag name
- Element name
- Element type
- Wersion

NB:

The wsdl and xsd files referred to hereafter can be found, together with a copy of this document, in the "Registration Application" file produced by means of the specific registration procedure of the available channel on the site www.fatturapa.gov.it.

The undersigning of the Channel Registration Request implies full acceptance of the technical rules described herein.





2.3 SDITRASMISSIONEFILE WEB-SERVICE


The SdlTrasmissioneFile web-service is exposed by Receiving System.

It:

- receives, as input, a file or an archive file;
- returns, as output, an identifier of the file transmitted and the date/time of receipt, or an error code.

Description of the interface

The interface wich must be used for the web-service *SdlTrasmissione* is described in the file **SdlTrasmissioneFile_v2.0.wsdl**.



The web-service *SdlTrasmissioneFile* contemplates both the *Trasmetti* operation and the *Esito* operation.

2.3.1 TRASMETTI OPERATION


The web-service *SdlTrasmissioneFile* contemplates the reception of file sent by the transmitter.

2.3.1.1 Request

The SOAP request has the following structure:








The input parameters are described below:

Parametro	Descrizione
NomeFile	Name of the file to be transmitted
TipoFile	Type of the file to be transmitted; the values allowed are defined to paragraph 2.3.3
File	Attachment containing the file, converted into base64Binary conforming to the xsd format of the "File6".

The types referred to are defined in the file TrasmissioneFileTypes_v2.0.xsd

2.3.1.2 Response

The SOAP response has the following structure:



The output parameters are described below:

8 conforming what is indicated in the implementation specifications of the File format published on the web-site www.agenziaentrate.gov.it.





Parametro	Descrizione
IDFile	Identification assigned by Receiving System to the file transmitted
DataOraRicezione	Date and time of receipt on the part of Receiving System
Errore	Possible transmission error that has occurred. This can have one of the following values:
	EI01 = attached file is empty
	EI02 = service momentarily unavailable
	EI03 = unauthorized user
	EI04 = file type not correct

The types referred to are defined in the file **TrasmissioneFileTypes_v2.0.xsd**.






2.3.2 ESITO OPERATION

The web-service *SdlTrasmissioneFile* contemplates the recovery of the outcome of files sent by the transmitter.

2.3.2.1 Request

The SOAP request has the following structure:



The output parameters are described below:


Parametro	Descrizione
IDFile	Identification assigned by Receiving System to the file transmitted

2.3.2.2 Response

The SOAP response has the following structure:







The output parameters are described below:

Parametro	Descrizione
Esito	File status. This can have one of the following values:
	SF01 = In processing
	SF02 = Processed
	SF03 = Error
Notifica	Attachment containing the message file converted into base64Binary, conforming to the TrasmissioneFileTypes_v2.0.xsd schema
DettaglioArchivio	Name of the file and identity assigned to the sent file by Receiving System
Errore	Possible transmission error that has occurred. This can have one of the following values:
	EE01 = service unavailable
	EE02 = unauthorized user





2.3.3 TYPE OF FILE

The available types of file for transmission are described below:

Value	Description
DF	Invoice Data file or Invoice Data archive file
LI	VAT settlement file or VAT settlement archive file
FL	Archive file containing Invoice Data and VAT settlement